




Applicable Standards/Codes

IAPMO certified to meet or exceed the following:

- ASME A112.18.1/CSA B125.1
- Uniform Plumbing Code
- National Plumbing Code of Canada
- ADA Compliant

Installation Dimensions



Cleaning Instructions

Rinse away any traces of soap and gently dry with a clean, soft cloth after each use. Rinse completely with water and dry any overspray. This will maintain the finish and avoid water spotting.

To remove mineral deposits, use a 50/50 solution of white vinegar and water. Do not allow the solution to soak on the product.

Simichrome Polish® contains a protective film to enhance maintenance and is helpful in preventing water spot buildup. Follow instructions to ensure optimum results.

Never use an abrasive material such as a brush or scouring pad to clean the surface. The use of abrasive cleaners, cleansers or disinfectants will alter the surface finish and void the warranty. Do not allow certain materials such as toothpaste, cologne, shaving cream, nail polish remover, vinegar,


wine, drain and glass cleaners to remain on the surface. Prolonged contact will alter surface finishes and void the warranty.

We DO NOT recommend using any household cleaners as many can cause damage to the finish. Please see the website for care instructions for specific finishes.

 Warranty - This Crosswater London product is covered by a limited lifetime warranty. For full details, terms and conditions please visit our website.

 For further information contact:
 Crosswater London, 393 Fortune Blvd., Milford, MA 01757

 Toll free number:
 844-XWATER-1 (844-992-8371)
 tel: 508-381-0433
 fax: 508-381-6068
 email: technical@crosswaterlondon.com





Taos Handshower Rail Set 17-30

17-31

Installation Instructions



For ease of installation you will need:

To read the installation instructions completely before beginning.

To read all warnings, care, and maintenance information.


Before beginning installation, check for any damag that may have occurred during transport.

Note: Damage claims cannot be made during or after installation.




17-30 17-31


Installation Instructions




Determine the location of the sliding bar.




Drive the wall anchors into the drilled holes with a Phillips screwdriver.




Place sliding bar assembly on the mounting brackets. Secure it to the wall using the top and bottom set screws.



Align brackets and mark drill holes in desired location.




Place the mounting brackets over the wall anchors. Secure them to the wall using the supplied screws.




Apply terion tape to supply nipple. Thread on supply nipple to 1/2" NPT water supply. Apply teflon tape to supply nipple and thread on bushing with 12mm allen wrench.


2




Drill 1/4" holes in marked locations.



mounting brackets to check alignment If necessary, loosen the screws and realign the mounting brackets.




Push on handshower supply outlet nipple and secure with set screw.



Replacement Parts

NO.	Description	Part NO.
1	Supply Out Set Screw & Extra Allen Key	9Q1359NT
2	Hand Shower	US-SH965 1.75 GPM 9Q245600 2.5 GPM
3	Hand Shower Hose	51014603
4	Mounting Hardware	9Q1134NT
5	Slide Bar Set Screw & Allen Key	9Q1357NT



15121430-C